

this amendment and remain in full force and effect. For that reason, those subsections, provisions and portions are not set forth here in full.]

Section R105.2 Work exempt from permits:

Under Building Delete:

- Item 1: One-story detached accessory structures used as tool and storage sheds, playhouses and similar uses, provided the floor area does not exceed 200 square feet (18.48m²).
- Item 2: Fences not over 6 feet (1829 mm) high
- Item 3: Retaining walls that are not over 4 feet (1219 mm) in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge.
- Item 4: Water tanks supported directly upon grade if the capacity does not exceed 5,000 gallons (18 927 L) and the ratio of height to diameter or width does not exceed 2 to 1.
- Item 5: Sidewalks and driveways.
- Item 10: Decks not exceeding 200 square feet (18.48 m²) in area, that are not more than 30 inches (762 mm) above grade at any point, are not attached to a dwelling and do not serve the exit door required by Section R311.4.

Under Mechanical Add:

- Item 9: Replacement of hot water heaters and HVAC units.


* * *

Section E4002.14 Tamper-resistant receptacles: Delete in its entirety.

Section 2.

This Ordinance shall be in full force and effect from and after its passage and approval by the Mayor.

**PASSED BY THE CITY COUNCIL FOR THE CITY OF O'FALLON, MISSOURI,
THIS 10th DAY OF March, 2011.**




Presiding Officer

Attest:


Pamela L. Clement, City Clerk




APPROVED THIS 10th DAY OF March, 2011.


Bill Hennessy, Mayor

Attest:


Pamela L. Clement, City Clerk

Approved as to Form:


Kevin M. O'Keefe, City Attorney

